

Know Your Treatment Options for COVID-19

There are more treatment options available now for COVID-19. Treatments can prevent hospitalization and death for at-risk individuals. **Talk to your healthcare provider** about treatment options if you are at-risk of serious illness and interested in a preventative treatment OR if you are at-risk and test positive for COVID-19.

Treatments are not a substitute for vaccination. Vaccination remains the safest, most effective way to protect you from COVID-19. **Treatments must be started early, so don't delay testing.** Here is information on 3 available COVID-19 treatments.

	Paxlovid	Molnupiravir	Remdesivir
Who is eligible?	<ul style="list-style-type: none"> Ages 12+ People with COVID <p>AND are</p> <ul style="list-style-type: none"> Immune compromised OR at highest risk of serious illness 	<ul style="list-style-type: none"> Ages 18+ People with COVID at-risk of serious illness 	<ul style="list-style-type: none"> Adults and children over 3.5 kg (8 lbs.) Not Yet Hospitalized COVID patients
When must it be started?	Within 5 days from start of symptoms	Within 5 days from start of symptoms	Within 7 days from start of symptoms
How is it given?	Pills taken orally for 5 days	Pills taken orally for 5 days	Once daily Intravenous Infusion (IV) for 3 days
Where can it be given?	Home	Home	Medical infusion site